


PET STRAPPING CATALOG 2025



WWW.WHITWORTHINDIA.COM





High-performance strapping for demanding industrial applications

TuffGrip PET Straps from Whitworth are precision-engineered for maximum load security, toughness, and consistency. Designed to meet the rigorous demands of heavy-duty strapping applications, TuffGrip ensures your loads are secure – every time, across every industry.

- Manufactured using high-viscosity PET resin
- Maintains performance in extreme conditions
- Ideal for both manual and automatic strapping systems





Yields higher break strengths, superior strap tension retention





Commonly used for palletized loads



Strap maintains its properties even at high temperatures







Colour Variants

Available in 3 Colour Variants: Green, Blue, Black



Coil Size

Available in 3 sizes: Small Coils Jumbo Coils Super Jumbo Coils



Texture

Available in both Plain and Embossed





Technical Specifications:

| Strap | Width | | Thickne | ess | Break | Load | Average | Weight/ft | Coil Length |
|--------|-------|--------|---------|--------|-------|-------|------------|-----------|--------------------|
| Code | (mm) | (Inch) | (mm) | (Inch) | (Kg) | (lbs) | Elongation | (grams) | (Mtrs) |
| TG1250 | 12.7 | 1/2 | 0.5 | 0.020 | 270 | 595 | 15% | 2.72 | 2743 |
| TG1270 | 12.7 | 1/2 | 0.7 | 0.028 | 370 | 816 | 15% | 3.72 | 1981 |
| TG1560 | 15.6 | 5/8 | 0.6 | 0.024 | 420 | 926 | 15% | 4.11 | 1600 |
| TG1575 | 15.6 | 5/8 | 0.75 | 0.030 | 500 | 1102 | 15% | 4.9 | 1402 |
| TG1590 | 15.6 | 5/8 | 0.9 | 0.035 | 590 | 1301 | 15% | 5.79 | 1220 |
| TG1510 | 15.6 | 5/8 | 1.0 | 0.039 | 650 | 1433 | 15% | 6.43 | 1066 |
| TG1895 | 18.5 | 5/7 | 0.95 | 0.037 | 780 | 1720 | 15% | 7.25 | 915 |
| TG2527 | 25 | 1 | 1.27 | 0.050 | 1330 | 2932 | 15% | 13.07 | 550 |
| TG3210 | 32 | 1-1/4 | 1.0 | 0.039 | 1340 | 2954 | 15% | 13.17 | 550 |
| TG3227 | 32 | 1-1/4 | 1.27 | 0.050 | 1700 | 3748 | 15% | 16.73 | 457 |

Tolerance:

| Width | ±0.5 mm | | |
|------------------|---|--|--|
| Thickness | ±0.05 mm | | |
| Colour | Green / Blue / Black | | |
| Elongation Limit | 12-15% | | |
| Coil Size | Small Coils: ID ID ; Width 150mm Jumbo Coils : ID 406mm ; Width 190mm Super Jumbo Coils: ID 406mm ; Width 300mm | | |





Office

Whitworth Engineers Pvt Ltd Plot No 318 & 322, Jeedimetla Industrial Area Hyderabad, India - 500055

